

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((("MAC" adj3 address) near9 header) and ((assign\$3 near5 ("IP" adj3 address)) same (("MAC" adj3 address) near9 (data adj3 (packet or portion)))) and router).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:08
L2	1	((("MAC" adj3 address) near9 header) same ((assign\$3 near5 ("IP" adj3 address)) same (("MAC" adj3 address) near9 (data adj3 (packet or portion)))) same router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:09
L3	11	((("MAC" adj3 address) near9 header) and ((assign\$3 near5 ("IP" adj3 address)) same (("MAC" adj3 address) near9 (data adj3 (packet or portion)))) and router)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:36
L4	774	713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:34
L5	353	726/13.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:35
L6	363	726/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:35
L7	3134	709/238.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:35
L8	1	((("MAC" adj3 address) near9 header) and ((assign\$3 near5 ("IP" adj3 address)) same (("MAC" adj3 address) near9 (data adj3 (packet or portion)))) and (I5 or I6 or I7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/29 11:39